


SG 3970



PRODUCT INFORMATION


- **Operation:** cord
- **Range:** M - L
- **Fitting:** ceiling, wall, recess
- **Colours:** white RAL 9016; special colours or anodised aluminum possible (recess profile only in white RAL 9016 or special color)
- **Fabrics:** refer to Silent Gliss fabric collection

Features:

- 2-component (2C) roller technology
- Wave (2C)
- Bendable
- Bendable recess profile

SYSTEM SPECIFICATIONS

A. SYSTEM DIMENSIONS



15 m



38 kg


Max. curtain weight - 2C roller

	2 m	4 m	6 m	8 m	10 m	12 m	15 m
	25	38	35	30	25	20	15
	25	38	35	30	25	20	15
	25	30	25	20	18	15	10
	25	30	25	20	18	15	10
	13	16	13	11	10	8	6
	13	16	13	11	10	8	6
	11	13	11	10	9	7	-
	11	13	11	10	9	7	-

(kg max.)

B. PROFILE


Profile and bending information



SG 3971

Profile

Radius: >25 cm




SG 10862

Recess profile

Radius: 50 - 75 cm
>75 cm on request

**C. HOW TO
MEASURE**



- A: System width
- B: System height
- C: Distance between floor and fabric
- D: Cord height
- E: Safety Retainer SG 10731 min. 150 cm above floor

**D. SPECIFICATION
TEXT**


Silent Gliss SG 3970 Cord Operated Curtain Track System. Comprises aluminium profile SG Supplied made to measure and complete comprising aluminium profile SG 3971. Supplied as standard with 2C roller gliders SG 10840 at 10/m, cord guide/return set SG 11315, overlap SG 10821, spring stop SG 11465 and cord SG 3090. Top fixed with fixing clamp SG 3004 at 500mm centres. Optional top fix with mounting plate SG 10865 and profile protector SG 7002. Wall fix with bracket SG 3041 / Wall fix with Smart Fix brackets SG 11201-11205 and SG 3041 or SG 3004 / Square Smart Fix brackets SG 11210-11215 and SG 3041 or SG 3004 / Wall fix with Universal Smart Fix brackets SG 11154-11156 and SG 3041. Recess fix with recess profile SG 10862, recess mask SG 10864. Silent Gliss Wave option is available using 60mm glider cord SG 10869 / 80mm glider cord SG 10852. Compliant to Child Safety legislation EN 13120.

FITTING

**A. FITTING
INFORMATION**



For detailed fitting information, visit the Silent Gliss website.

Fixing points





B. CEILING FITTING

Clamp SG 3004




SG 3004
Clamp

Direct fitting



SG 7002



Profile protector



SG 10865

Support plate

Bracket SG 3041




SG 3041

Bracket


C. WALL FITTING

Smart Fix




Smart Fix SG 11200 - SG 11205 and bracket SG 3041:
Screw SG 10492 (M4x8) needed.

Smart Fix	X mm (SG 3041)	X mm (SG 3004)
SG 11200 / SG 11210	83	
SG 11201 / SG 11211	103	72
SG 11202 / SG 11212	123	92
SG 11203 / SG 11213	143	112
SG 11204 / SG 11214	173	142
SG 11205 / SG 11215	223	192
SG 11154	128-156	102-130
SG 11155	158-186	132-160
SG 11156	208-236	182-210




Square Smart Fix SG 11210 - SG 11215 and bracket SG 3041:

Screw SG 10492 (M4x8) needed.




Universal Smart Fix SG 11154 - SG 11156 and bracket SG 3041:

Screw SG 10407 (M4x10) needed.




Smart Fix SG 11201 - SG 11205 and clamp SG 3004:

Screw SG 10074 (M4x8) needed.





Square Smart Fix SG 11211 - SG 11215 and clamp SG 3004:

Screw SG 10074 (M4x8) needed.



Universal Smart Fix SG 11154 - SG 11156 and clamp SG 3004:

Screw SG 11158 (M4x12) needed.



SG 3004
Clamp

SG 3041
Bracket

SG 10074
Countersunk head screw
M4x8

SG 10407
Pan head screw M4x10




SG 10492

Pan head screw M4x8




SG 11158

Countersunk head screw
M4x12




SG 11200

Smart Fix 60 mm




SG 11201

Smart Fix 80 mm




SG 11202

Smart Fix 100 mm




SG 11203

Smart Fix 120 mm




SG 11204

Smart Fix 150 mm




SG 11205

Smart Fix 200 mm




SG 11210

Square Smart Fix 60 mm




SG 11211

Square Smart Fix 80 mm




SG 11212

Square Smart Fix 100 mm




SG 11213

Square Smart Fix 120 mm




SG 11214

Square Smart Fix 150 mm




SG 11215

Square Smart Fix 200 mm




SG 11154

Universal Smart Fix 120 mm



SG 11155

Universal Smart Fix 150 mm




SG 11156


Universal Smart Fix 200 mm

D. RECESS FITTING


Recess profile
SG 10862




One wedge SG 5118 per fixing point.
For detailed recess fitting, visit the Silent Gliss website.



SG 10862
Recess profile




SG 10864
Recess mask




SG 5118
Wedge

SYSTEM OPTIONS

A. WAVE




SG 11295



SG 10852



SG 6365




SG 10845




SG 10854



SG 10867




SG 10869




SG 10887



SG 3582



SG 6349



SG 6363



SG 10075



SG 10076

Standard components:

- SG 11295 End stop
- SG 10852 Wave 2C roller cord 80 mm


Optional components:

- SG 6365 Wave hanger
- SG 10845 Wave master carrier single stack 80 mm
- SG 10854 Wave overlap support arm
- SG 10867 Panhead screw M4x16
- SG 10869 Wave 2C roller cord 60 mm (no single stack)
- SG 10887 Wave extension

Curtain components:

- SG 3582 Hook
- SG 6349 Wave curtain tape
- SG 6363 Wave top hemming tape
- SG 10075 Lead weight 50 gr/m
- SG 10076 Fabric weight

Wave stack depth - 2C roller cord (standard components)



2C Roller cord SG 10852	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
80	6	~2.1	140	210 per metre of track	90
80	7	~2.3	160	210 per metre of track	100











2C Roller cord SG 10869	Pockets between hooks	Approx. curtain fullness	Stack depth A	Stack size B*	Min distance C
60	4	~2.1	100	260 per metre of track	70
60	5	~2.3	120	260 per metre of track	80

*Stack size B





























- plus 150 mm per curtain


PARTS

A. STANDARD PARTS

	SG 3004 Clamp
	SG 3090 Cord ø 3.5 mm
	SG 3971 Profile
	SG 10731 Child safety retainer set
	SG 10821 Overlap arm
	SG 10826 Overlap arm support
	SG 10840 2C roller
	SG 10923 Pan head screw Freedriv M4x12
	SG 11314 Master carrier
	SG 11315 Guide set


B. OPTIONAL PARTS

	SG 3041 Bracket		SG 10845 Wave master carrier
	SG 3582 Hook		SG 10852 Wave 2C roller cord 80 mm
	SG 5118 Wedge		SG 10854 Wave overlap plate
	SG 6349 Wave curtain tape		SG 10862 Recess profile
	SG 6363 Wave top hemming tape		SG 10864 Recess mask
	SG 6365 Wave hanger		SG 10865 Support plate
	SG 7002 Profile protector		SG 10869 Wave 2C roller cord 60 mm
	SG 10074 Countersunk head screw M4x8		SG 10887 Wave extension
	SG 10075 Lead weight 50 g/m		SG 11154 Universal Smart Fix 120 mm
	SG 10076 Fabric weight		SG 11155 Universal Smart Fix 150 mm
	SG 10407 Pan head screw M4x10		SG 11156 Universal Smart Fix 200 mm
	SG 10492 Pan head screw M4x8		SG 11158 Countersunk head screw M4x12
	SG 10820 Overlap arm		SG 11200 Smart Fix 60 mm
	SG 10831 Connection bridge		SG 11201 Smart Fix 80 mm




SG 11202

Smart Fix 100 mm



SG 11203

Smart Fix 120 mm




SG 11204

Smart Fix 150 mm




SG 11205

Smart Fix 200 mm




SG 11210

Square Smart Fix 60 mm




SG 11211

Square Smart Fix 80 mm




SG 11212

Square Smart Fix 100 mm




SG 11213

Square Smart Fix 120 mm




SG 11214

Square Smart Fix 150 mm



SG 11215

Square Smart Fix 200 mm



SG 11295

End stop
