



# SG 2360

---



## PRODUCT INFORMATION

- **Operation:** motorised
- **Range:** S - L
- **Fitting:** ceiling, wall
- **Colours:** white RAL 9016, black 9005
- **Fabrics:** refer to Silent Gliss fabric collection

### **Features:**

- Quiet motors
- Soft stop
- Various control options
- Enclosed headrail
- Fascia included

# SYSTEM SPECIFICATIONS


## A. SYSTEM DIMENSIONS



4 m



60 cm\*  
\*see motor specification  
table



4 m




16 m<sup>2</sup>




10 kg

## B. PROFILE


### Profile information




**SG 2371**  
Head box




**SG 2372**  
Tube ø 45 mm



**SG 11434**  
Box cover




**SG 2004**  
Bottom bar 20x7 mm




**SG 2006**  
Bottom bar 28x3 mm



**SG 2135**  
Rod steel ø 3 mm




**SG 2137**  
Rod fiberglass ø 4 mm



**SG 2144**  
Profile ø 8 mm

## C. HOW TO MEASURE



## D. SPECIFICATION

**Silent Gliss SG 2360 Motorised Roman Blind System with Series 50 Smart by Silent Gliss enabled motor.** Roman blind system for medium to large size blind applications 4m wide/4m drop/10Kg. Supplied made to measure comprising aluminium head box SG 2371, winding tube SG 2372, end covers SG 2373/4 and fascia SG 11434. Fix to ceiling with ceiling [SG 3003 and/or bracket 2521]. Fix to wall with brackets [Smart Fix SG 11200- 11204 / Square smart fix brackets SG 11210 – SG 11214 / Universal Smart Fix SG 11154 – SG 11156]. Visible metal hardware powder coated in [white RAL 9016 / black RAL 9005]. Integral 24V DC powered Smart by Silent Gliss motor SG 11250 positioned [left / right] side. Operation only via Silent Gliss Smart Gateway and associated components in conjunction with compatible third-party control systems. If supplied with made up blind from The Collection by Silent Gliss it includes child safe breakaway components for [hard/semi-hard fold: SG 3164 bottom bar set + SG 3069 rod cover / soft fold: SG 3165 + 3166 ring]. Fabric to be attached to headrail profile using loop tape. Compliant to Child Safety Legislation EN 13120. All wiring to be strictly in accordance with Silent Gliss wiring diagrams. Fabric to be chosen from The Collection by Silent Gliss, Price Group [1 / 2 / 3].

**Silent Gliss SG 2360 Motorised Roman Blind System with SG Series 40 motor.** Roman blind system for medium to large size blind applications 4m wide/4m drop/10Kg. Supplied made to measure comprising aluminium head box SG 2371, winding tube SG 2372, end covers SG 2373/4 and fascia SG 11434. Fix to ceiling with ceiling [SG 3003 and/or bracket 2521]. Fix to wall with brackets [Smart Fix SG 11200- 11204 / Square smart fix brackets SG 11210 – SG 11214 / Universal Smart Fix SG 11154 – SG 11156]. Visible metal hardware powder coated in [white RAL 9016 / black RAL 9005]. Integral motor [SG 11243 24V DC powered motor transformer not included or SG 11240 100-240 V AC 50/60Hz] positioned [left or right] side. Operation by [3rd party dry contact switching or 3rd party control system with suitable interface or Silent Gliss Control N radio controls via integrated receiver]. Control N transmitter components are supplied at additional cost. If supplied with made up blind from The Collection by Silent Gliss it includes child safe breakaway components for [hard/semi-hard fold: SG 3164 bottom bar set + SG 3069 rod cover / soft fold: SG 3165 + 3166 ring]. Fabric to be attached to headrail profile using loop tape. Compliant to Child Safety Legislation EN 13120. All wiring to be strictly in accordance with Silent Gliss wiring diagrams. Fabric to be chosen from The Collection by Silent Gliss, Price Group [1 / 2 / 3].


**Silent Gliss SG 2360 Motorised Roman Blind System with SG Series 20 motor.** Roman blind system for medium to large size blind applications 4m wide/4m drop/10Kg. Supplied made to measure comprising aluminium head box SG 2371, winding tube SG 2372, end covers SG 2373/4 and fascia SG 11434. Fix to ceiling with ceiling [SG 3003 and/or bracket 2521]. Fix to wall with brackets [Smart Fix SG 11200- 11204 / Square smart fix brackets SG 11210 – SG 11214 / Universal Smart Fix SG 11154 – SG 11156]. Visible metal hardware powder coated in [white RAL 9016 / black RAL 9005]. Integral motor SG 10320 230v 50 Hz mains switched motor positioned [left or right] side. Operation by [3rd party switching or SG Control R with external receiver or 3rd party automation system with suitable interface]. Control R transmitter & external receiver components supplied at additional costs. If supplied with made up blind from The Collection by Silent Gliss it includes child safe breakaway components for [hard/semi-hard fold: SG 3164 bottom bar set + SG 3069 rod cover / soft fold: SG 3165 + 3166 ring]. Fabric to be attached to headrail profile using loop tape. Compliant to Child Safety Legislation EN 13120. All wiring to be strictly in accordance with Silent Gliss wiring diagrams. Fabric to be chosen from The Collection by Silent Gliss, Price Group [1 / 2 / 3].

# FITTING

## A. FITTING INFORMATION



For detailed fitting information, visit the *Silent Gliss* website.

### Fixing points



## B. CEILING FITTING



### Clamp SG 3003



**SG 3003**

Clamp

### Bracket SG 2521




**SG 2521**


Bracket

C. WALL FITTING


Smart Fix



**Smart Fix SG 11200 - SG 11204 and bracket SG 2521:**  
Screw SG 10395 (M4x6) needed.




**Square Smart Fix SG 11210 - SG 11214 and bracket SG 2521:**  
Screw SG 10395 (M4x6) needed.



**Universal Smart Fix SG 11154 - SG 11156 and bracket SG 2521:**  
Screw SG 10492 (M4x8) needed.

| Smart Fix           | X mm    |
|---------------------|---------|
| SG 11200 / SG 11210 | 80-84   |
| SG 11201 / SG 11211 | 100-104 |
| SG 11202 / SG 11212 | 120-124 |
| SG 11203 / SG 11213 | 140-144 |
| SG 11204 / SG 11214 | 170-174 |
| SG 11154            | 134-162 |
| SG 11155            | 164-192 |
| SG 11156            | 214-242 |




**SG 2521**  
Bracket




**SG 10395**  
Pan head screw M4x6




**SG 10492**  
Pan head screw M4x8




**SG 11200**  
Smart Fix 60 mm




**SG 11201**  
Smart Fix 80 mm




**SG 11202**  
Smart Fix 100 mm




**SG 11203**  
Smart Fix 120 mm




**SG 11204**  
Smart Fix 150 mm




**SG 11210**  
Square Smart Fix 60 mm




**SG 11211**  
Square Smart Fix 80 mm




**SG 11212**  
Square Smart Fix 100 mm




**SG 11213**  
Square Smart Fix 120 mm




**SG 11214**  
Square Smart Fix 150 mm



**SG 11154**  
Universal Smart Fix 120 mm




**SG 11155**  
Universal Smart Fix 150 mm




**SG 11156**  
Universal Smart Fix 200 mm



## Bracket SG 2363




**SG 2363**  
Bracket 68 mm




## D. FITTING WITH SIDE GUIDE OPTION




**SG 2384**




**SG 8235**  
Side guide wire base short



**SG 8236**  
Side guide wire base long




**SG 8237**  
Side guide wire holder



#### SG 8249

Side guide device




#### SG 10643

Side guide wire  $\varnothing$  1.3 mm x 4.2 m

# SYSTEM OPTIONS

## A. FABRIC MAKE-UP



### Type A (Standard)

Loop tape SG 3074:

A: Loop tape SG 3074 / SG 2164


B: Cord SG 2216

C: Child safety hook set SG 3164

D: Hollow hem

E: Bottom bar SG 2004

F: Child safety: max. distance 200 mm



### Type B

Ring tape SG 2164:

A: Child safety eyelet soft fold SG 3078


B: Ring tape SG 2164

C: Cord SG 2216

D: Child safety hook set SG 3164

E: Hollow hem

F: Bottom bar SG 2004



### **Type C**


*A: Tape SG 2136*

*B: Child safety eyelet hard fold SG 3069*

*C: Rod SG 2135*

*D: Cord SG 2216*

*E: Child safety hook set SG 3164*



### **Type D**

*A: Child safety eyelet set SG 3161 / SG 3165*


*B: Tube SG 2144*

*C: Cord SG 2216*

*D: Child safety hook set SG 3164*

*E: Option: tube SG 2144 / SG 2137 can be installed to room side*

B. SIDE GUIDES



- Additional parts:
- 2x SG 2384 Side guide wire holder
  - 2x SG 8235 / SG 8236 Side guide wire base short / long
  - 2x SG 8237 Side guide wire holder
  - 2x SG 8249 Side guide device
  - 2x SG 10643 Side guide wire ø 1.3 mm

Note:

- Up to 15° from vertical

MOTORS & CONTROLS

A. MOTOR  
FEATURES

| Motors | 50-Series | 40-Series            | 25-Series | 20-Series | 5-Series             |
|--------|-----------|----------------------|-----------|-----------|----------------------|
|        | SG 11251  | SG 11943<br>SG 11944 | SG 11625  | SG 10522  | SG 10715<br>SG 10716 |

| Motor Features                                       |       |       |       |       |       |
|------------------------------------------------------|-------|-------|-------|-------|-------|
| Soft stop                                            | •     | •     | •     | •     |       |
| Electronic end-stop                                  | •     | •     | •     | •     |       |
| Electronic revolution counter (unlimited revolution) | •     | •     | •     | •     |       |
| Mechanical end-stop                                  |       |       |       |       | •     |
| Mechanical revolution counter (limited revolution)   |       |       |       |       | •     |
| One intermediate position possible                   |       | •     |       |       |       |
| Bottom bar alignment                                 | •     | •     |       |       |       |
| Noiseless stop                                       |       |       |       | •     |       |
| Parallel wiring possible without additional relays   |       | •     | •     | •     |       |
| Disconnectable motor cable                           | •     | •     | •     | •     |       |
| IP class                                             | IP 30 | IP 30 | IP 30 | IP 44 | IP 44 |

| Control Features                                                          |   |   |   |   |   |
|---------------------------------------------------------------------------|---|---|---|---|---|
| Mains power control                                                       |   |   | • | • | • |
| Dry contact control                                                       | • | • |   |   |   |
| Dry contact and / or SG Control N control                                 |   | • |   |   |   |
| SG Control N (built-in receiver)                                          |   | • |   |   |   |
| SG Control R (external receiver required)                                 |   | • | • | • |   |
| Smart by Silent Gliss                                                     | • |   |   |   |   |
| Suitable for most major home automation systems (with suitable interface) |   | • | • | • | • |

## B. MOTOR SPECIFICATIONS

| Motors                                      | Max. weight | Min. system width | Voltage      | Current | Frequency | Speed  | Frequency receiver |
|---------------------------------------------|-------------|-------------------|--------------|---------|-----------|--------|--------------------|
| <b>50-Series</b><br>(Smart by Silent Gliss) |             |                   |              |         |           |        |                    |
| SG 11251                                    | 10 kg       | 60 cm             | 24 V DC      | 1.5 A   | n/a       | 32 rpm | n/a                |
| <b>40-Series</b>                            |             |                   |              |         |           |        |                    |
| SG 11943                                    | 10 kg       | 83 cm             | 100-240 V AC | 0.6 A   | 50-60 Hz  | 32 rpm | 433 MHz            |
| SG 11944                                    | 10 kg       | 60 cm             | 24 V DC      | 1.5 A   | n/a       | 32 rpm | 433 MHz            |
| <b>25-Series</b>                            |             |                   |              |         |           |        |                    |
| SG 11625                                    | 10 kg       | 87 cm             | 100-240 V AC | 0.8 A   | 50-60 Hz  | 32rpm  | n/a                |
| <b>20-Series</b>                            |             |                   |              |         |           |        |                    |
| SG 10522 (standard)                         | 10 kg       | 60 cm             | 230 V AC     | 0.6 A   | 50 Hz     | 30 rpm | n/a                |
| <b>5-Series</b>                             |             |                   |              |         |           |        |                    |
| SG 10715                                    | 10 kg       | 60 cm             | 230 V AC     | 0.5 A   | 50 Hz     | 28 rpm | n/a                |
| SG 10716                                    | 10 kg       | 60 cm             | 120 V AC     | 1.1 A   | 60 Hz     | 33 rpm | n/a                |

## C. OPERATING METHODS

See catalogue "controls" for details.

### Wall Switch



System can be operated by fixed wall switch.

### SG Control N



Various radio hand-held and wall transmitters available.



Silent Gliss Move App.

### SG Control R



Various radio hand-held and wall transmitters available.  
An external receiver is required.

### Smart by Silent Gliss











Open designed two-way communication system which allows to flawlessly integrate products with most major building management systems.







*Refer to Silent Gliss website.*










# PARTS




































## A. STANDARD PARTS


|                                                                                     |                                         |
|-------------------------------------------------------------------------------------|-----------------------------------------|
|    | <b>SG 2004</b><br>Bottom bar 20x7 mm    |
|    | <b>SG 2216</b><br>Cord ø 0.85 mm        |
|    | <b>SG 2221</b><br>Velcro tape           |
|    | <b>SG 2371</b><br>Head box              |
|    | <b>SG 2372</b><br>Tube ø 45 mm          |
|   | <b>SG 2373</b><br>End cover             |
|  | <b>SG 2374</b><br>End cover             |
|  | <b>SG 2375</b><br>Tube adapter ø 43 mm  |
|  | <b>SG 2376</b><br>Shell                 |
|  | <b>SG 2377</b><br>Pin                   |
|  | <b>SG 2381</b><br>Motor plate           |
|  | <b>SG 2539</b><br>Tape                  |
|  | <b>SG 3003</b><br>Clamp                 |
|  | <b>SG 3164</b><br>Child safety hook set |

|                                                                                     |                                                              |
|-------------------------------------------------------------------------------------|--------------------------------------------------------------|
|    | <b>SG 9917</b><br>Hirschmann portable socket-outlet STAK 3 N |
|    | <b>SG 10284</b><br>O-Ring                                    |
|    | <b>SG 10522</b><br>Motor 230V AC, 20-Series 3/30             |
|    | <b>SG 10621</b><br>Tube adapter                              |
|    | <b>SG 11185</b><br>Pan head screw 2.2x9.5 DIN 7981 C         |
|   | <b>SG 11324</b><br>PT Screw Countersunk KA35x14              |
|  | <b>SG 11354</b><br>Motor drive 10/20-Series                  |
|  | <b>SG 11434</b><br>Box cover                                 |

## B. OPTIONAL PARTS

|                                                                                       |                                         |
|---------------------------------------------------------------------------------------|-----------------------------------------|
|    | <b>SG 2006</b><br>Bottom bar 28x3 mm    |
|    | <b>SG 2091</b><br>End cover             |
|    | <b>SG 2093</b><br>Ring                  |
|    | <b>SG 2135</b><br>Rod steel ø 3 mm      |
|    | <b>SG 2136</b><br>Rod tape              |
|   | <b>SG 2137</b><br>Rod fiberglass ø 4 mm |
|  | <b>SG 2144</b><br>Profile ø 8 mm        |
|  | <b>SG 2164</b><br>Ring tape             |
|  | <b>SG 2363</b><br>Bracket 68 mm         |
|  | <b>SG 2378</b><br>Support               |
|  | <b>SG 2379</b><br>Sleeve                |
|  | <b>SG 2384</b>                          |
|  | <b>SG 2521</b><br>Bracket               |
|  | <b>SG 3055</b><br>Hook                  |


|                                                                                    |                                              |                                                                                     |                                                                 |                                                                                       |                                                       |
|------------------------------------------------------------------------------------|----------------------------------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------------------------------|
|    | <b>SG 3069</b><br>Child safety eyelet        |    | <b>SG 10395</b><br>Pan head screw M4x6                          |    | <b>SG 11211</b><br>Square Smart Fix 80 mm             |
|    | <b>SG 3074</b><br>Loop tape                  |    | <b>SG 10492</b><br>Pan head screw M4x8                          |    | <b>SG 11212</b><br>Square Smart Fix 100 mm            |
|    | <b>SG 3161</b><br>Child safety eyelet set    |    | <b>SG 10643</b><br>Side guide wire $\varnothing$ 1.3 mm x 4.2 m |    | <b>SG 11213</b><br>Square Smart Fix 120 mm            |
|    | <b>SG 3165</b><br>Child safety eyelet set    |    | <b>SG 10715</b><br>Tubular motor 230V AC, 5 Series 6/28         |    | <b>SG 11214</b><br>Square Smart Fix 150 mm            |
|    | <b>SG 3166</b><br>Child safety tape set      |    | <b>SG 10716</b><br>Tubular motor 120V AC, 5 Series 6/33         |    | <b>SG 11251</b><br>Motor 24V DC, 50-Series 3/32       |
|   | <b>SG 8235</b><br>Side guide wire base short |   | <b>SG 11154</b><br>Universal Smart Fix 120 mm                   |   | <b>SG 11260</b><br>Gateway Cedia                      |
|  | <b>SG 8236</b><br>Side guide wire base long  |  | <b>SG 11155</b><br>Universal Smart Fix 150 mm                   |  | <b>SG 11261</b><br>Gateway KNX                        |
|  | <b>SG 8237</b><br>Side guide wire holder     |  | <b>SG 11156</b><br>Universal Smart Fix 200 mm                   |  | <b>SG 11262</b><br>Expansion unit                     |
|  | <b>SG 8249</b><br>Side guide device          |  | <b>SG 11200</b><br>Smart Fix 60 mm                              |  | <b>SG 11263</b><br>Power supply 24V DC, 2.5A DIN Rail |
|  | <b>SG 8943</b><br>Cable grommet              |  | <b>SG 11201</b><br>Smart Fix 80 mm                              |  | <b>SG 11264</b><br>Power supply 24V DC, 3.8A DIN Rail |
|  | <b>SG 9916</b><br>Hirschmann plug set        |  | <b>SG 11202</b><br>Smart Fix 100 mm                             |  | <b>SG 11265</b><br>Power supply 24V DC, 5A DIN Rail   |
|  | <b>SG 9959</b><br>Central control unit relay |  | <b>SG 11203</b><br>Smart Fix 120 mm                             |  | <b>SG 11266</b><br>Power supply 24V DC, 10A DIN Rail  |
|  | <b>SG 10149</b><br>Pan head screw 2.2x6.5    |  | <b>SG 11204</b><br>Smart Fix 150 mm                             |  | <b>SG 11355</b><br>Motor drive 5-Series               |
|  | <b>SG 10293</b><br>Cable 230V AC, 2/3/5/10 m |  | <b>SG 11210</b><br>Square Smart Fix 60 mm                       |  | <b>SG 11356</b><br>Motor drive 40/50-Series           |

**SG 11482**


Ring

**SG 11625**


Motor 100-240V AC, 25-Series S 3/32

**SG 11900**

Move Server

**SG 11931**

Radio hand held 1 channel

**SG 11932**

Radio hand held 6 channel

**SG 11936**

Radio wall transmitter 1 channel

**SG 11937**


Radio wall transmitter 6 channel

**SG 11943**


Motor 100-240V AC, 40-Series S 3/32, radio receiver

**SG 11944**

Motor 24V DC, 40-Series S 3/32, radio receiver

**SG 11966**

Power supply set 24V/2A with GB plug

**SG 11967**

Power supply set 24V/2A with US plug



